

DDU KAUSHAL Kendra

University of Kashmir

Dated: 25-02-2017

e-Tender Corrigendum

Based on the interaction between the Members of the Technical Committee and the prospective bidders during pre-bid meeting on 25-02-2017, following changes have been made in our e-tender, which stands advertised on www.jktenders.gov.in; Dated 20-02-2017:

1. University of Kashmir is exempted from Custom/Central Excise Duty from Department of Scientific and Industrial Research, Ministry of Science & Technology, Government of India. The successful bidder has to arrange for Custom Clearance of the imported goods. The Prices quoted should be FOR destination at site i.e. DDU KAUSHAL Kendra, University of Kashmir, Srinagar-190006.
2. Please read at No. 7 of the NIT in PAYMENT TERMS: as “one year or as certified by the OEM, instead of “three years”.
3. Please read EMD for Supply & Installation of Machinery/Equipment’s & tools as Rs.1,20,000/- instead of Rs 40,000/-.
4. Please read EMD for Supply & Installation of Broadcast Quality Audio Video/Power Equipment’s as Rs.60,000/- instead of Rs 40,000/-.
5. Please read in the last specifications of Item B1 of the Compliance Statement for Supply & Installation of Broadcast Quality Audio Video/Power Equipment’s as “Minimum 27” Thunderbolt display with resolution of 2560x1440 or better compatible with the editing workstation” instead of Thunderbolt Display 27” with Retina.
6. Please read Item B6 of the Compliance Statement of Supply & Installation of Broadcast Quality Audio Video/Power Equipment’s as “Video Editing Software License (Perpetual) instead of Premier Video Editing Software License (Perpetual).
7. Please read in the specification of Item C1 of the Compliance Statement of Supply & Installation of Broadcast Quality Audio Video/Power Equipment’s as 3.2 GHz quad core i5 (turbo boost upto 3.6 GHz) instead of 2.8 GHz with turbo boost up to 3.3 GHz. Also, read AMD Radeon R9 M390 graphics processor with 2GB of GDDR5 memory instead of Graphics Dual AMD Fire Pro D500 graphics processor with 3GB of GDDRS VRAM each.
8. Please read Qty 2 instead of Qty 1 for item No. 17 (Video Editing Software) in the BOQ for Supply & Installation of Broadcast Quality Audio Video/Power Equipment’s.
9. Please read Qty 1 instead of Qty 20 for item No. 34 (10KVA UPS) in the BOQ for Supply & Installation of Broadcast Quality Audio Video/Power Equipment’s.
10. Please read 30KVA Servo Stabilizer with necessary 3 Phase Cabling at Input & Output instead of 30KVA Servo Stabilizer for item No. 36 in the BOQ for Supply & Installation of Broadcast Quality Audio Video/Power Equipment’s.
11. Bidders can attend the technical bid opening on 13-03-2017 at 2 PM. However, no further correspondence shall be made on the subject.

12. All other terms and conditions shall remain unchanged as per the original e-NIT.

Sd/-
Dr. G H Mir
Director

No. UOK/DDUKK/17/Corrigendum
Dated: 25-02-2017

Copy to:

- Chairman, Purchase Committee for Information.
- PS to Registrar for Information of the Registrar
- Director, IT&SS, with the request to get the notice uploaded on University website.
- Deputy Registrar (Accounts) for Information.
- PRO, with the request to get the notice published in three prominent local dailies and one leading National Newspaper.
- Mr. Tufail Ahmad, Jr. Project Engineer ITSS for making necessary changes on www.jktenders.com, if possible.
- Notice Board
- File